


There are 681 acres of federally designated plant critical habitat occurring in the Kahuku/Kawailoa Training Areas Region of Influence.

### Federally Designated Plant Critical Habitat in the Kahuku/Kawailoa Training Areas Legend Biological Region of Influence Drum Road Installation Boundaries

Region of Influence Federally Designated Plant Critical Habitat O'ahu, Hawai'i

Figure 7-24



The are 4,812 acres of elepaio critical habitat occurring with in the Kahuku/Kawailoa Training Areas Region of Influence.

#### Legend

Drum Road Installation Boundaries Region of Influence


Elepio Critical Habitat

Roads

Federally Designated Critical Habitat for the O'ahu 'Elepaio at the Kahuku/Kawailoa Training Areas Biological Region of Influence

O'ahu, Hawai'i

Figure 7-25



There are 22,940 acres of Biological Sensitive Areas and 19,435 acres of sensitive snail habitat within the ahuku/Kawailoa Training eas Region of Influence.

Legend Drum Road Installation Boundaries Region of Influence

Sensitive Snail Habitat

Roads Biologically Significant Area

BSA 1- High density of sensitive species and habitat


BSA 2- Lower but still significant densities of species and habitat

BSA 3- Start of quality native havitat but no documented occurances of rare elements


Biologically Significant Areas in the Kahuku/Kawailoa Training Areas Biological Region of Influence Oʻahu, Hawaiʻi

Page 3 of 11


Figure 7-26



Archaeological Sensitivity Areas have been compiled from many sources for Kahuku Training Area.



Page 4 of 11




Põhakuloa Training Area Region of Influence

Region of Influence

Põhakuloa Training Area Boundary

### Sensitive Plant Species in the Pōhakuloa Training Area Terrestrial Biological Region of Influence

Island of Hawai'i, Hawai'i



Of the sensitive wildlife species reordered within the PTA ROI in recent history, six are federally endangered.


# Sensitive Wildlife Species in the Põhakuloa Training Area Terrestrial Biological Region of Influence

Legend

Põhakuloa Training Area Boundary
Region of Influence

Island of Hawai'i, Hawai'i

Figure 8-35



There are 2,669 acres of Palila critical habitat within the Põhakuloa Training Area Region of Influence.

# Federally Designated Palila Critical Habitat in the Pōhakuloa Training Area Terrestrial Biological Region of Influence

Legend


Põhakuloa Training Area Boundary

Region of Influence

Federally Designated Palila Critical Habitat

Island of Hawai'i, Hawai'i

Figure 8-36



21,860 acres of Biologically Significant Areas occur within the Pōhakuloa Training Area Terrestial Region of Influence

Biologically Significant Areas found in the Põhakuloa Training Area Terrestial Region of Influence


#### Legend


Põhakuloa Training Area Boundary

Region of Influence

Biologically Significant Areas

Island of Hawai'i, Hawai'i







Red Leg Trail

Sensitive Areas